

MO 780-1007 (12-02)

#### MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION

MAR 2 2 2004

P.O. BOX 176

PERMIT APPLICATION FOR INDUSTRIAL MINERAL MINES

PERMIT APPLIC			AL WINERAL	MIS	SOURI LAN	ID JEFFER	SON CITY, MO 65102-0176
NAME OF CORPORATION, COMPANY, PARTNE		AL		CLAMA	TION CON	3/3/	7/4
River Cement Company			СПУ			STATE	
1000 River Cement Rd	•		Fest	tus		MO	63028
CONTACT PERSON	<del></del>		·			TELEPHONE NU	
Steve Miloscia CHECK ANY THAT APPLY:			·	<del>, , , , , , , , , , , , , , , , , , , </del>		(636) 9	3/-/601
			alk Davidstan	N			
New Permit Perm	it Amendment	LJ Perm	nit Revision	Permit Ex	·		
SITE NAME OR NUMB	BER	ACREAGE	COUNT	Y, SECTION, TO	LOCATIO DWNSHIP,		ST OR WEST)
1.John Brune Pit #1		3	1	, 23, 44N,			
2.John Brune Pit #2		2	Gasconade	, 23, 44N,	5W		
3.Doris Spurgeon Pit #	3	2	Gasconade	, 5, 39N,	4W		
4.Vernon Steinbeck #1		2	Gasconade	, 36, 44N,	5W		
5.Harvey Kahle Pit #1		2	Gasconade	, 26, 44N,	5W		
6. Harvey Kahle Pit #2		2	Gasconade	, 26, 44N,	5W		
7.							
8.							
9.							
10.							
11.							
12.							
13.							
14.							
15.							
16.							
17.							
18.							
19.							
20.							
ATTACH ADDITIONAL SHEETS	S IF NECESSA	RY	TITLE			DATE	
Still Mr.	lascia			ental & Sa	fety En		3/04
Appeared before me this	320		2H, 2004,		N M.	MILOSCI	А
to me personally known, who e	xecuted the ab	ove as their fre	ee acts and deed	ds.	COHAITY (OF (	CITY OF ST. LOUIS	1
NOTART PUBLIC EMBUSSER		ssouri			·-	•	,
	SUBSCRIBED AND S	WORN BEFORE ME			JE	EFFER	SON
		OF MARC		YEAR 2004			CLEAR AREA BELOW
	NOTARY PUBLIC SK	BNATURE	) MY (	COMMISSION IRES			CE R. ROTH
	( Courte	xcest.	Keth 04	1/24/2005		STATE OF	MISSOURI
	NOTARY PUBLIC NA	ME (TYPED OR PRI		., -, , , , , , , , , ,			JEFFERSON bires: APRIL 24, 2005
	('ONSTA	INCE K.	KOTH				Marine Santa Angele and Angele an
FOR DEPARTMENT USE ONLY APPROVED	5/11/11/	/ DATE AP	27.04/	PERMIT NUMBER	/3		EXPIRATION DATE
MO 780-1007 (12-02)	HALLILL.	ATTACH	FEES AND BONDING V		<u> </u>		110-31-07



MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION

MAR 2 2 2004

### PERMIT APPLICATION FOR INDUSTRIAL MINERAL MINES FEES AND BONDING WORKSHEET

FEES AND BONDING WO	OR INDUSTRIAL WIINERAL WIINES MISSOURI LAI SECLAMATION COM	ND P.O. BOX 176 MISSIERGERSON CITY, MO 65102-0176
AME OF CORPORATION, COMPANY, PARTNERSHIP OR INDIV	/IDUAL	DATE
River Cement Company		3/3/04
EES: COMPLETE SECTION I OR SECTIO		
ECTION I. FEES: Open pit operators and	those mining more than 5,000 tons of sand and/or gravel	
. To compute the site fee complete the c	olumns and lines below:	
SITE NAME OR NUMBER (Add a separate sheet for additional sites.)	Mark each month that the site will be operated during the Permit Year	For sites operated less than six months per permit year pay \$150 For sites operated six months or more
·		per permit year pay \$300
John Brune Pit #1	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nev, Dec	\$ 300
John Brune Pit #2	dan, Feb, Mar, Apr, May, dun, Jul, Aug, Sep, Oct, Nev, Dec	\$ 300
Doris Spurgeon Pit #3	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$ 300
Vernon Steinbeck Pit #1	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nev, Dec.	\$ 300
Harvey Kahle Pit #1	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oet, Nov, Dec	\$ 300
Harvey Kahle Pit #2	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nev, Dec	\$ 300
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
	TOTAL SITE FEE	\$1.800
	res bonded	\$ <u>65</u> \$ <u>500</u>
4. Total Fee (Add Totals from 1, 2 and 3)		\$ 2,365
	eds \$2,500.00 then pay only . Said	
NOTE: If Total Fee exce	eds \$2,500.00 then pay only . 7.322	\$ <u>2,500</u>
SECTION II. FEES: Sand or gravel opera	tors mining less than 5,000 tons per year:	
		\$ 300
III. BONDING - for all except in-stream min	e sites:	
A. For sand and gravel operators minin	ig less than 5,000 tons/year:	
Number of new acres	X \$500 per acre	\$ N/A
Number of new acres	Λ φουν μει ασιε	Ψ <u>11/ A</u>
B. For ALL other open pit operations:		
Minimum per permit		\$ <u>8,000</u>
Acreage over eight acre	s <u>317</u> X \$500 per acre	\$ <u>158,500</u>
TOTAL BONDING REQUIRED		\$ <u>166,500</u>
☐ Check here if adequate bonding	is already posted.	
MO 780-1007 (12-02)		

MAR 2 2 2004



#### MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION SITE INFORMATION

MISSOURI LAND RECLAMATION COMMISSION

P.O. BOX 176 FERSON CITY, MO: 65102-0176

- Thinks			JEFFERSON CITY, MO 65102-0	
Complete this form for each separate area of	disturbance associated with m	nining operations.		
SITE NAME OF NUMBER			PERMIT NUMBER	
JOHN BRUNE PIT	#/	ļ		
JOHN DRUNE	,		0043	
COMPANY				
COMPANY RIVER CEMENT CO				
COUNTY	1/4 SECTION		SECTION	
CASCONADE	SE		23	
	J.			
TOWNSHIP	HANGE 5W		ACRES 3. 0	
44 N	370		3.0	
RIVER OR STREAM NAME (FOR IN-STREAM ACRES)				
MA				
MINERAL COMMODITY	ESTIN	NATED TONS/YEAR (GRA	VEL SITES)	
CEMENT CLAY				
CE17241 Com/				
NAME OF LANDOWNER (ATTACH LIST IF MORE THAN	ÓNE)			
l <u></u>	-·· <b>-</b> /			
JUHN BRUNE				
ADDRESS				
com 1975 Grand Arm-	1 Rd.			
СПУ	STATE		ZIP CODE	
Labadic.		110	63055	
		70		
SOURCE OF RIGHT TO MINE (CHECK ONE):		•	DATE OF AGREEMENT	
MINERAL DEED	D u	ASE	5-30-00	
WARRANTY DEED	□ v	ERBAL		
OTHER (DESCRIBE):				
AMMERIAL DIGUES CHARLED (ATTACH) LIST IS MODE THA	ALONG:			
MINERAL RIGHTS OWNER (ATTACH LIST IF MORE THA	IN ONC)			
ADDRESS				
CITY	STATE	<b>:</b>	ZIP CODE	
SOURCE OF RIGHT TO MINE (CHECK ONE):			DATE OF AGREEMENT	
MINERAL DEED	rm		DATE OF AGREEMENT	
	□ <b>.</b>	EASE		
WARRANTY DEED	□ <b>v</b>	ERBAL	<u> </u>	
OTHER (DESCRIBE):				
NOTE: Each site must be shown on a map an	d be included in a public notic	ce and an approved	mine plan.	
AAO 780 1026 (10 00)				

MAR 2 2 2004



MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION MINE DI AN

MISSOURI LAND SECLAMATION COMMISSION

P.O. BOX 176

THE PARTY OF THE P	JEFFERSON CITY, MO 65102-0176
COMPANY NAME RIVER LEMENT CO	
TYPE OF PLAN (CHECK ONE):	
SHORT TERM, FOR ONE PERMIT YEAR	. ,
LONG TERM, FOR PERIOD THROUGH DATE: 1/1/04 - 1/1	106
TOPOGRAPHY.	ITTING (BY APPLICANT OR PRIOR OPERATOR), INCLUDING SOIL VEGETATION AND
Dage force, VEGETATED WI	IN PESCUE and work her work.
Some EXISTING CLOSION PRO	blems with Approx I time yes.
Soil poor with about 30 0	of WEAR TOPSOIL.
OPERATION PLAN - 10 CSR 40-10-020(2)(D)1.	
A. TOPSOIL	
AVERAGE DEPTH OF TOPSOIL, PRIOR TO LA COMMISSION F	PERMITTING IS TOPSOIL TO BE SOLD OR DISCARDED OFFSITE?
	7
	INCHES YES OR NO
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL	1 7 2
Track to be Removed 4	by Dozer and Exapper.
Topsoil To be Removers	1. I'lle and terminates
Topsoil To De REMOVES.	N ZIIN ZWA
To Storage And.	
10 Storage	
1	
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PR	NOTECTION
Trason To be STOCKPILED	ACTECTION IN ON SITE PILE TOPSOIL
were be Compacted as	if is depositeo. Cozen are
- C/ - O/E	c Top. Topsoic SERVED UNIC
i e e e e e e e e e e e e e e e e e e e	
Neide O.	
PERMIT NO.	SITE NUMBEROAMET?
0043	SITE NUMBERMANE POR #1
MO 780-1327 (5-02)	

PAGE 1 OF 5

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

B. SPOIL		
		AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL
5	2016	will be Removed by dozen and Scrapen.
5	2016	were be deposited in large Pile and
	KANE	WILL BE REMOVED BY GOZER and SCRAPER.  WILL BE RESOLUTED IN LARGE PILE and  BY SOZER TO PREVENT EROSION. SEE
4	Tan .	For Spore LOCATION.
		on spore countries
C. ACID	MATERI	ALS
· · · · · · · · · · · · · · · · · · ·		S AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)
1	I/A	
	•	
		TION (GIVE ALL DIMENSIONS IN FEET)
1		NAND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS
<b>S</b>	E	Mos
l		
[		
ļ		
ļ		
ļ		
)		
YES	NO -	
		Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?
		Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-
		way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and
		one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)
		Will any excavation start at or within fifty feet (50") of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)
		(10012. II the diletter is 120, a saidty varifel lilay be fleeded.)
PERMIT NO.		
FERMINO.		0043 Site NUMBERANAME POR 1
	(5-02)	
MO 780-1327 (		PAGE 2 OF 5

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

CLAMATION PLAN - 10 CSR 40-10			
REVEGETATION (Attach additional			
VEGETATION ANX IN	PURPOSE OR LAND USE	B. SECONG OR PLAN	
SCRIBE METHODS AND EQUIPMENT TO BE	PARTIAL IMA	MAY 2	
After Final GRA Paxe will be a Aclude: Lime,	ding, a SKIO ISEO. HYDRO SE FERTILIZEN, M	Steen wind land le Georgium de US Wich, Taxahan, Cean	
ne and fertilizer will be applied according 5:1. SEEDED SPECIES	POUNDS/ACRE	t upon soil test analyses from a qualified so	STEMS/ACRE
Ky31 FERRE	500		
Ky 31 Rivue Annual Ryé Les Moven	100 50		
EGETATION MIX 82 Wildlife	PURPOSE OF LAND USE Wild C	B. SEEDING OF PLAN  Alajo	· _ · - · · · · · · ·
SCRIBE METHODS AND EQUIPMENT TO BE			

Lime and fertilizer will be applied according to recommendations based upon soil test analyses from a qualified soils lab. Mulch will be applied to all slopes exceeding 5:1.

SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
Annual Ryé	100		
MILLET	10		
	10		
LESPEGEZA	10		
Lespedeza Reo Woven	10		

ATTACH ADDITIONAL SHEETS FOR ADDITIONAL SEED MIXES.

PERMIT NO.

DO 43

SITE NUMBERNAME

FOR # 1

MO 780-1327 (5-02)

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

B. GRADING	
DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING 6LOPES	1. 6
FINAL GREACING WILL INCLUDE a PARTI	ac impoundient
WITH 3:1 BACKSlope and 3:1 INSICE V	Lyte. The Remaining
AREA WILL BE GRADED TO GENTLE JO	lope and Exity
TRAVERSEO.	
C. DESCRIBE THE GENERAL SEQUENCE AND TIMING OF THE FOLLOWING ACTIVIT	IES
GRADING DUCK PIT IN COMPLETED WITH HINNY,	gracing will Comerce
WITHIN 6 MONTHS.	
REPLACEMENT OF TOPSOIL	- Con Notice
Topsoil will be REplaced As Soon As	ALADINY IN COMPECIED.
SECONDY WILL TAKE PLACE AT THE P. SECONDY SEASON SUCH AS APRIC-HAY	rest Available
Selling will the peter	on SEN-OUT.
SEEDING SEASON SUCH IN THE	
AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)	
D LICE OF A AND WHITN DEGLAMED	
D. USE OF LAND WHEN RECLAIMED  Estimate acreage of each land use below, after reclamation	ESTIMATED ACRES:
Wildlife (forest or other habitat with livestock excluded)	1/4
Agricultural (pasture, cropland, and horticultural)	/ /
Development (residential, industrial, and recreational)	
Water impoundments (for wildlife, agriculture, or development)	34
PERMIT NO. SITE NUMBERT/NAME 146.1	NE PIT # 1
JOHN DRUI	VE MT 41

PAGE 4 OF 5

MO 780-1327 (5-02)

#### Re: Mine Plans - Bill Zeaman/LRP/DEQ/MODNR



**Bill Zeaman** 

To: "Steve Miloscia" < Steve. Miloscia @ recement

cc:

03/25/2004 02:07 PM

Subject: Re: Mine Plans

Thanks Steve, that pretty much addresses my concerns, I think the operator will also have better luck establishing vegetation on the 3:1 slope. I will make changes in the mine plan as identified in the attached E-mail. I will also place a copy of this E-mail with all of the six new sites.

You are now provided with notice to advertise the Public Notice newspaper requirements and to send out letters of an intent to operate a surface mine for all of the sites that are pending.

Thank you for your cooperation -

If you have any concerns about the content of this E-mail please respond.

Bill Zeaman **Land Reclamation Program** 573.751.4041 "Steve Miloscia" <Steve.Miloscia@rccement.com>



"Steve Miloscia" <Steve.Miloscia@rcce

To: bill.zeaman@dnr.mo.gov

ment.com>

Subject: Mine Plans

03/25/2004 10:47 AM

Bill,

I want to inform you that I just got word from Gary Bullock of Dillon Clay Mining who said we can go with 3:1 for the inside and outside slopes as described in our Mine Plans on page 4, Paragraph B. I will go ahead and make these changes in my copies of the six Mine Plans I sent to you in our letter dated March 18, 2004, and I would like you to do the same to the original Mine Plans you have now. Please, contact me if you have any other comments or questions. Also, I will wait until I here from you before I begin the Public Notices. Regards, Steve

1

Stephen M. Miloscia Environmental & Safety Engineer Buzzi Unicem USA River Cement Plant 1000 River Cement Road PO Box 1003 Festus, MO 63028 (636)-937-7601 ext 205 steve.miloscia@buzziunicemusa.com

03/25/2004 02:07:46 PM

MAR 2 2 2004

MISSOURI LAND
TECLAMATION COMMISSION

By my signature, I attest to the following:

- 1. All statements made on this Mine Plan Form are correct, complete and true, to the best of my knowledge.
- I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.790, RSMo 2001, and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
- I have obtained the approval of all landowner's (for all lease agreements made after August 28, 1990 on leased land) for all proposed post-mining land uses.
- 4. I have obtained the approval of all landowner's, (for all lease agreements made after August 28, 1990 on leased land) for all proposed seed mixtures.
- 5. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

		T-I			
SIGNATURE OF APPLICANT	Melosia	Environ + Sot	Toty Eng. 3/18/04		
NOTARY PUBLIC EMBOSSER	MISSOURI SUBSCRIBED AND SWOAN BEFORE ME, TO	HIS ,	JEFFERSON		
NOT VALID UNLESS NOTARIZED	18th DAY OF MARC		USE RUDDER STAMP IN CLEAR AREA BELOW.		
	NOTARY PUBLIC SIGNATURE	exti c4/24/2005	CONSTANCE R. ROTH NOTARY PUBLIC - NOTARY SEAL STATE OF MISSOURI COUNTY OF JEFFERSON		
	NOTABY PUBLIC NAME (TYPED OR PRINTE		My Commission Expires: APRIL 24, 2005		
FOR DEPARTMENT USE O	NLY				
APPROVED BY		DATE APPROVED	PERMIT NUMBER		
	ZMM	3-23-0	99 0093		
PERMIT NO.	7 com	SITE NUMBERINAME			
<u> 8043</u>		SOHN	BRUNE #1		
IO 780-1327 (5-02)			PAGE 5 OF		

ı

MAR 2 2 2004



#### MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION

MISSOURI LAND P.O. BOX 176
F:ECLAMATION COMMISSION JEFFERSON CITY, MO 65102-0176


P.O. BOX 176

**CONSENT TO ENTRY** 


(for granting right from landowner, where operator has no right to grant such entry)

COMPANY NAME		PERMIT NUMBER(6)		SITE NAME(S) OR N	UMBFR/S)
	. /	0043			VE PITITZ
KIVER CEMENT	10	0073		-UNA URU	VE FIT I IL
representatives the ri	ght of entry upon	our lands or surface i	mining operations for	or the purpose	Program and authorized of making necessary field Act, Sections 444.760 to
NAME OF LANDOWNER		SIGNATURE	7		DATE
JOHN BRUK	VE	John	tune		6/20/02 ACRES 5.0
COUNTY	1/4 SECTION	SECTION	TOWNSHIP 44N	RANGE	ACRES
CASCONADE	SE	~23	44 N	5W	0.0
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			OATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
MO 780-1329 (5-02)		ATTACH ADDITIONAL	SHEETS AS NEEDED		Page

RECEIVED MAR 2 2 2004 MISSOURI LAND RECLAMATION COMMISSION Sanders Cem (est.) .851 Swiss ▶ **Claypit** Claypits 887 John Brance Pith Claypits Kahle Cem 1.23. 21 22 • Claypit 888 Claypit ... PASINE PA 23 Bieber Cem Substation 0 Claye 816 . 810 86/ RIVER LEMENT 60 PERMIT 0043 CreekTOHN BRUNE PITS #1 \$ 2 THUN, RSW, NW/4, SEL, SEC 23 Claypit. Puncheon



FREMIT 4 00 43 MISSOURI LAND FECLAMATION COMMISSION JUNE PITT 1 2 NW14, SE14, SEC 23 T 44N, RSW



MAR 2 2 2004

### MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION

MISSOURI LAND **SECLAMATION COMMISSION** 

SITE INFORMATION P.O. BOX 176 JEFFERSON CITY, MO 65102-0176 Complete this form for each separate area of disturbance associated with mining operations. SITE NAME OR NUMBER PERMIT NUMBER JUHN BRUNE P.T #Z KIVER CEMENT CO 0043 COUNTY 1/4 SECTION SECTION 23 ACRES 2.0 RIVER OR STREAM NAME (FOR IN-STREAM ACRES) MINERAL COMMODITY ESTIMATED TONS/YEAR (GRAVEL SITES) NAME OF LANDOWNER (ATTACH LIST IF MORE THAN ONE) CITY PCODE SOURCE OF RIGHT TO MINE (CHECK ONE): DATE OF AGREEMENT LEASE MINERAL DEED WARRANTY DEED ☐ VERBAL OTHER (DESCRIBE): MINERAL RIGHTS OWNER (ATTACH LIST IF MORE THAN ONE) ADDE

SOURCE OF RIGHT TO MINE (CHECK ONE): MINERAL DEED

LEASE

STATE

WARRANTY DEED

OTHER (DESCRIBE):

VERBAL

NOTE: Each site must be shown on a map and be included in a public notice and an approved mine plan.

MO 780-1036 (12-02)

CITY

ZIP CODE

DATE OF AGREEMENT

MAR 2 2 2004



MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI DEFABLIANCE LAND RECLAMATION COMMISSION

MISSOURI LAND

MINE PLAN	P.O. BOX 176 JEFFERSON CITY, MO 85102-0178
COMPANY NAME	
KIVER CEMENT CO	
SHORT TERM, FOR ONE PERMIT YEAR	
TONG TERM, FOR PERIOD THROUGH DATE: 1/1/01/2 -	
DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PEHMINT	TING (BY APPLICANT OR PHION OPERATOR), INCLUDING SOIL VEGETATION AND
Parel Stopped and some	DASTURE. SOME EROSION
Chenty coping and open	
Exists Area VegeTARED U	WITH PESCUE and Some REX
Clover of WEEDS.	
OPERATION PLAN - 10 CSR 40-10-020(2)(D)1.	
A. TOPSOIL	
AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSION PE	RMITTING IS TOPSOIL TO BE SOLD OR DISCARDED OFFSITE?
	INCHES VES OR 1 NO
	l l
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL	by Dozen and Scenpen.
POPJOIL 13 DE REMOVED	
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL  TOPSOIL TO BE REMOVED  TOPSOIL TO BE REMOVED	IN 4 "Litts OUER ENTINE"
Per Area.	
111 11/2001.	
•	1
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PRO	TECTION
Trace Team Parter To	STOCKPILE AREA BY
	1 - 1150 To
Scrapen & Dozen. Pos	in will be ween
SERAPER Y JUSEUS	
Shape and Level Stock	PLE POSOIL WILL BE
Shape and Level Stone	
A CENTAL	
Stevas UNTIL NEEDED.	I
PERMIT NO.	SITE MI MAPERALAME
0043	SITE NUMBERNAME FLORE PIT #2
10 780-1327 (5-02)	TOIN FRANCE . 11

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

B. SPOIL	METHODS	AND LOCATION OF SPOIL PLACEME	NT AND DISPOSAL				<del></del>	
-		will be le	7	1.16	1 250 01	-12 Sc	RACER	e
$\rightarrow$	poil	WILL DE KE	·MOUED	09 40	sen as		, ,	
\$	POIL	will be a	E positiet	/11 6	ARYE	FILE	and C	
مک	HADE	n by dozen	to ph	cilut	TROS	1000.	SEC	
		Fon Spore C						
′′	NO	ron spore c	DCATIM.	•				
	********				49.4			
	MATERI	ALS SAND EQUIPMENT USED FOR HANDI	ING ACID MATERIALS (I	F NONE IS ANTICIPA	ATED, WRITE NO	WE. BELOM)		
	. / 1		•					
	[/A							
D. PIT IA	VEORMA	TION (GIVE ALL DIMENSIONS	S IN FEET)	<del></del>				
		AND ORIENTATION OF PIT, IF NOT		<u>.</u>				
ے ا	EE	Mass						
	_	.,						
<b>\</b>								
1								
}								
i								·
YES	NO ·							
		Will any excavation be at or		_				
		Will any highwall consisting of	of unconsolidated ma	aterials be left wi	thin fifty feet o	of the right-of	f-way of any publi	c road?
		(NOTE: For unconsolidated reway, and in no case may the	naterials left in place excavation he clos	e, a slope of no r	nore than forty	y degrees m	ay start near the	right-of-
		one-half (1%) times the depti	n of unconsolidated	material, whiche	-way man nity iver is greater.	idet of twer Luniess a va	nty-tive teet plus c Briance is dranted	one and by the
	,	Commission.)			<u>.</u>			-,
	W	Will any excavation start at o			line?			
		(NOTE: If the answer is "YES	i", a safety barrier m	ay be needed.)				
PERMIT NO.				POT AN INCOME.	-			
PERMIT NU.		0043		SITE NUMBERINAME	Rune	Por	2	
MO 780-1327 (	5-021					- '/		PAGE 2 OF

MAR 2 2 2004

MISSOURI LAND SECLAMATION COMMISSION

		SECEAM	ATION COMMISSION
RECLAMATION PLAN - 10 CSR 40-1			
. REVEGETATION (Attach additional		La cecomo on	M ANTINE THAT
EVEGETATION MIX IN	PURPOSE OF LAND USE	B. SECONG OR	
TASTURE / VAM	PARTINE MIL	PUNDMENT MAY	2000
ESCRIBE METHODS AND EQUIPMENT TO BE	USED FOR SEEDING OF PLANTING	Steen wind land. George will be a wich, Taxthen, Co	A
Acres Engl Bel	chas a SKID	STEEN WITH LAND.	CECLAMATION
HILL TIME GRA	any, a -no	2	
Parent will be in	uto Hucha C	coning well DE	NEO 10
NAKE WILL DE U	SEU. THING SE	Eling will	
14.1 1 1 1 /me	Entitled to	Who Treches Co	on duarra
riclude; cine,	PERINISON, M	ucces, packing -cc	2,70,720
_			
• •	ding to recommendations base	d upon soil test analyses from a qualifie	d soils lab. Mulch will be app
o all slopes exceeding 5:1.			
SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
Ky 31 Reside Annual Pye	500		
KY31 TESTILE	300		
	1120		
Ansun KVI-	100		
FINITUAL 170	<u> </u>		
Res Moven	50		1
LED LLOVER			
EVEGETATION MIX 1/2	PURPOSE OF LAND USE	B. SEEDING OR	
Wiedlike	Will	12 1/21	'UE
ime and fertilizer will be applied accord	ding to recommendations base	d upon soil test analyses from a qualifie	d soils lab. Mulch will be an
set slopes exceeding 5:1.	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
Annual Rye	100		
initione rige			
MILLET	10		
NILLET	_		
	10		
LESDEdeza	1		
Lespédeza Reo Clover		1	1
a. 11 100	10		
KEO CLOVET			
TTACH ADDITIONAL SHEETS FOR	ADDITIONAL SEED MIYES		
	JAPI HOMAL BEED MIVES!		
ERMIT NO.			
	)	SITE NUMBERMANE	D # 2
2043	,	SITE NUMBERMANNE JUAN BRUNE P	Pr# 2
1780-1327 (5-02)	,	SITE NUMBERMANNE JUHN BRUNE P	PAGE 2

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

E-0040NO		
B. GRADING DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING SLOPES		
huar Greating wire Include	a partial Imp	rounderent
WITH 3:1 BACKSlope and 3:	I Inside Slage. The	The Genaining
1 b - seem To	mile Place	and Exsily
AREA WILL BE GRADED TO	gentie Scope -	
TRAVERSEO.		
C. DESCRIBE THE GENERAL SEQUENCE AND TIMING OF THE	EOI I OWING ACTIVITIES	
GRADING PULL PIT IN COMPLETED W.		WILL COMPULE
WITHIN & MONTHS.	•	
REPLACEMENT OF TOPSOIL  TOPSOIL WILL BE REPLACED A	Is Soon A ARACIAY	is Completer-
		!
SEEDING SEASON SUCH AS	AT the Next AU	alable
Com Casion Such As	ADRIC- May on SI	or-Oct.
SETUING SCHOOL SILVE		
AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)		
D. USE OF LAND WHEN RECLAIMED		
Estimate acreage of each land use below, after reclamation		ESTIMATED ACRES:
Wildlife (forest or other habitat with livestock excluded)		1/4
Agricultural (pasture, cropland, and horticultural)		
Development (residential, industrial, and recreational)		
Water impoundments (for wildlife, agriculture, or development)		34
PERMIT NO. 00 43	SITE NUMBERMANER SURVE PIT	#2

MO 780-1327 (5-02)

#### Re: Mine Plans - Bill Zeaman/LRP/DEQ/MODNR



**Bill Zeaman** 

To: "Steve Miloscia" <Steve.Miloscia@rccement.com

CC:

03/25/2004 02:07 PM

Subject: Re: Mine Plans

Thanks Steve, that pretty much addresses my concerns, I think the operator will also have better luck establishing vegetation on the 3:1 slope. I will make changes in the mine plan as identified in the attached E-mail. I will also place a copy of this E-mail with all of the six new sites.

You are now provided with notice to advertise the Public Notice newspaper requirements and to send out letters of an intent to operate a surface mine for all of the sites that are pending.

Thank you for your cooperation -

If you have any concerns about the content of this E-mail please respond.

Bill Zeaman
Land Reclamation Program
573.751.4041
"Steve Miloscia" <Steve.Miloscia@rccement.com>



"Steve Miloscia"
<Steve.Miloscia@rcce

To: bill.zeaman@dnr.mo.gov

cc:

ment.com> Subject: Mine Plans

03/25/2004 10:47 AM

Bill,

I want to inform you that I just got word from Gary Bullock of Dillon Clay Mining who said we can go with 3:1 for the inside and outside slopes as described in our Mine Plans on page 4, Paragraph B. I will go ahead and make these changes in my copies of the six Mine Plans I sent to you in our letter dated March 18, 2004, and I would like you to do the same to the original Mine Plans you have now.

Please, contact me if you have any other comments or questions. Also, I will wait until I here from you before I begin the Public Notices. Regards, Steve

Stephen M. Miloscia
Environmental & Safety Engineer
Buzzi Unicem USA
River Cement Plant
1000 River Cement Road
PO Box 1003
Festus, MO 63028
(636)-937-7601 ext 205
steve.miloscia@buzziunicemusa.com

MAR 2 2 2004


MISSOURI LAND RECLAMATION COMMIS

By my signature, I attest to the following:

- 1. All statements made on this Mine Plan Form are correct, complete and true, to the best of my knowledge.
- 2. I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.790, RSMo 2001, and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
- 3. I have obtained the approval of all landowner's (for all lease agreements made after August 28, 1990 on leased land) for all proposed post-mining land uses.
- I have obtained the approval of all landowner's, (for all lease agreements made after August 28, 1990 on leased land) for all proposed seed mixtures.
- 5. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

SIGNATURE OF APPLICANT	Miloscia	Safety Engr	intal of DATE
NOTARY PUBLIC EMBOSSER	SUBSCRIBED AND SWOAN BEFORE ME, THIS		COUNTY (OR CITY OF ST. COUIS)  JEFFERSON
NOT VALID UNLESS NOTARIZED	NOTARY PUBLIC NAME (TYPED OR PRINTED)	YEAR 2004  NY COMMISSION EXPIRES  Oth (4/24/2005)  OTH	CONSTACCE R. ROTH NOTARY PUBLIC - NOTARY SEAL STATE OF MISSOURI COUNTY OF JEFFERSON My Commission Expires: APRIL 24, 2005
FOR DEPARTMENT USE			
APPROVED BY	~ [MM]	3-23-	PERMIT NUMBER  O 9
PERMIT NO.		SITE NUMBER/NAME	V Brank PIT 2
MO 780-1327 (5-02)			PAGE 5 OF

RECEIVED MAR 2 2 2004 MISSOURI LAND "
SECLAMATION COMMISSION ••Claypit Kahle Cem HARVEY KAHLE PITZ PERMITH 0043 Puncheon JOHN BRUNE PITS #1 12



MAR 2 2 2004

KIVEN CEMENT 60

MISSOURI LAND

FEEDIT # 00 43

TOAN BRUNE PIT 1 1 Z

NW14, SE14, SEC 23 T 44N, RSW

HANL ROAD. ERUNE PITHI BERM Eartz, NW4, SE14, Sec 23, THAN, RSW Sale 1251 MISSOURI LAND RECEIVED MAR 2 2 2004

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION



## MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION SITE INFORMATION

P.O. BOX 176

THE STATE OF THE S			JEFFERSON CITY, MO 65102-017
Complete this form for each separate are	a of disturbance associated with n	nining operations.	•
SITE NAME OR NUMBER  DORIS SPURGE	FON PIT #3	PER	OUV3
COUNTY CARD			
CRAWFORD	1/4 SECTION // //4		TION 5
TOWNSHIP 39N	NW/4 HANGE 4 N	ACF	2. O
RIVER OR STREAM NAME (FOR IN-STREAM ACE	ES)		
MINERAL COMMODITY  CEMENT CLAY	ESTI	MATED TONS/YEAR (GRAVEL	SITES)
Serient Cing			
NAME OF LANDOWNER (ATTACH LIST IF MORE	THAN ONE;		
ADDRESS			-
Cuba	STAT	E Mo	ZIP CODE
SOURCE OF RIGHT TO MINE (CHECK ONE):			DATE OF AGREEMENT
MINERAL DEED		ELEASE 6-8-01	
□ WARRANTY DEED □ VERBAL			
OTMER (DESCRIBE):			
MINERAL RIGHTS OWNER (ATTACH LIST IF MOR	E THAN ONE)		
ADDRESS			
CITY	STAT	Ē	ZIP CODE
SOURCE OF RIGHT TO MINE (CHECK ONE):			DATE OF AGREEMENT
MINERAL DEED		EASE	
WARRANTY DEED			
OTHER (DESCRIBE):			
NOTE: Each site must be shown on a ma	ap and be included in a public noti	ice and an approved min	e plan.
MO 780-1036 (12-02)			

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION



#### MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION MINE PLAN

MINE PLAN	P.O. BOX 176 JEFFERSON CITY, MO 65102-0176
COMPANY NAME KINFR CEMENT	
TYPE OF PLAN (CHECK ONE):	
SHORT TERM, FOR ONE PERMIT YEAR	
LONG YERM, FOR PERIOD THROUGH DATE:	
	TTING (BY APPLICANT ON PHION OPENATOR), INCLUDING SOIL VEGETATION AND
TOPOGRAPHY.	
CRENTLY Sloping and Very	laxy. Sand growth Small
1	with little or no Topsoil.
Some Wests and grass, a	but Very Shaceon Rooteo.
	•
OPERATION PLAN - 10 CSR 40-10-020(2)(D)1.	
A. TOPSOIL	
AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSION F	PERMITTING IS TOPSOIL TO BE SOLD OR DISCARDED OFFSITE?
	NCHES YES OR PNO
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL	
	h Chozen. The topsoil is they
Traspic To DE TEMOVED WITH	Auster THE Lopion I way
Shalase	
SVALCOL.	
1	
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PR	OTECTION
Topsoil wire be files.	med algoro of SERVED.
20/20,2 00,22 00 /1000	7
PERMIT NO. 0043	SITE NUMBERINAME
	DORIS SPURCHEON KIT 3
MO 780-1327 (5-02)	PAGE 1 OF 5

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

PESCHAR METHODS AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL.  Spoil Lo Der Removes by Bosol. Spoil Livil be Stock fleed. To predict the Stock fleed. To predict the Stock fleed. To predict the Clusion dividing mining. See Map.  C. ACID MATERIALS  DESCRIBE METHODS AND COUPMENT USED FOR HANDLING ACID MATERIALS IF NOWE IS ANTICIPATED. WRITE "NOWE" BELOW!)  WITH A COUNTY OF PIT IF NOT CLEAR ON SITE MAPS.  SEE Map.  VES NO.  Will any excavation be at or within fifty feet (50) of the right-of-way of any public road? (NOTE: For unconsolidated materials be left within fifty feet of the right-of-way of any public road? way, and in no case may the executation be does not be right-of-way and annotate not case may the executation be does not be right-of-way and not no case may the executation be does not be right-of-way and not no case may the executation be does not be right-of-way and not no case may the executation be does not be right-of-way and nin or case may the executation be does not be right-of-way and nin or to ease may the executation be does not be right-of-way and nin for year of each public road?	DESCRIBE METHODS AND DICATION OF SPOIL FLACEMENT AND DISPOSAL  JOIN LIGHT BY A KEMPANY BY JOSEPH TO PREMINE BE JOSEPH TO PREMINE BE JOHN LIGHT BY ANTICIPATED. WHITE YORK BE JOWN  C. ACID MATERIALS  DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED. WHITE YORK BE JOWN)  J. PHT INFORMATION (CIVE ALL DIMENSIONS IN FEET)  DESCRIBE DOCATION AND CHEMPATON OF PIT. IF NOT CLEAR ON SITE MAPS  SEE HAP!  VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may stan near the right-of-way, and in no case may the excavation be closed to the right-of-way than fifty feet plus one and one-half (1%) times the dopph of unconsolidated materials whichever is greater, unless a variance is granted by the Commission.  Will any excavation start at or within fifty lest (50") of any property line?  (NOTE: If the answer is "VES", a safety barrior may be needed.)	B. SPOIL		
D. PT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE THONE BELOW)  D. PT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND GRIENTATION OF PIT IF NOT CLEAR ON SITE MAPS  SEE Maps  VES NO  Will any excavation be at or within fifty feet (60') of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way of any start near the right-of-way, and in no case may the excavation be closer to the right-of-way one and	C. ACID MATERIALS DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE 19 ANTICIPATED, WRITE "NONE 9ELDW)  WITH  D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND ORIENTATION OF PIT IF NOT CLEAR ON SITE MAPS  SEE Haps  VES NO  Will any excavation be at or within lifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within lifty feet of the right-of-way of any public road?  (NOTE: If the answer is "YES", a safety bearier may be needed.)  Will any excavation start at or within lifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)		AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL.	
D. PT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE THONE BELOW)  D. PT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND GRIENTATION OF PIT IF NOT CLEAR ON SITE MAPS  SEE Maps  VES NO  Will any excavation be at or within fifty feet (60') of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way of any start near the right-of-way, and in no case may the excavation be closer to the right-of-way one and	C. ACID MATERIALS DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE 19 ANTICIPATED, WRITE "NONE 9ELDW)  WITH  D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND ORIENTATION OF PIT IF NOT CLEAR ON SITE MAPS  SEE Haps  VES NO  Will any excavation be at or within lifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within lifty feet of the right-of-way of any public road?  (NOTE: If the answer is "YES", a safety bearier may be needed.)  Will any excavation start at or within lifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)	Sport	to be KE moves by	Boson. Sport will be
D. PT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE THONE BELOW)  D. PT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND GRIENTATION OF PIT IF NOT CLEAR ON SITE MAPS  SEE Maps  VES NO  Will any excavation be at or within fifty feet (50°) of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a stope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way and nin on case may the excavation be closer to the right-of-way and an into case may the excavation be closer to the right-of-way and infin feet or the night-of-way, and in no case may the excavation be closer to the right-of-way and nin for seet or the plat-of-way and nin fin feet or the plate-of-way, and no case may the excavation be closer to the right-of-way and nin fin feet or the plate-of-way and nin for seet or the plate-of-way and nin fin feet or the plate-of-way and nin fin feet or the plate-of-way and near the right-of-way and nin fin feet or the plate-of-way and no case may be excavation be closer to the right-of-way and nin fin feet or the plate-of-way and nin fin feet or the plate-of-way and nin or case may be excavation be closer to the right-of-way and nin fin feet or the plate-of-way and no case may be excavation be closer to the right-of-way and nin fin feet or the plate-of-way and no case may be excavation as constant.	C. ACID MATERIALS DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE 19 ANTICIPATED, WRITE "NONE BELOW!)  VIA  D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND ORIENTATION OF PIT IF NOT CLEAR ON SITE MAPS  SEE Hyps  VES NO  Will any excavation be at or within lifty feet (50°) of the right-of-way of any public road? Will any highwall consisting of unconsolidated materials be left within lifty lear of the right-of-way and in no case may the excavation be closer to the right-of-way than lifty feet or twenty-five feet plus one and one-half (14) times the depth of unconsolidated materials, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within lifty feet (50°) of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)	Stock	e fices. Sport were be	GRADED TO PREVENT
D. PT INFORMATION (GIVE ALL DIMENSIONS IN FEET)  DESCRIBE NO  Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?  (NOTE: For unconsolidated materials be int pright-of-way and not young year near the right-of-way. and in no case may the excavation be closer to the right-of-way and first plent of the right-of-way.	C. ACID MATERIALS  DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)  LIFE  DESCRIBE LIGATION (GIVE ALL DIMENSIONS IN FEET)  DESCRIBE LIGATION AND ORIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS  SEE LIGATION AND ORIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS  SEE LIGATION AND ORIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS  Will any excavation be at or within lifty feet (50°) of the right-of-way of any public road?  (NOTE: For unconsolidated materials be left within lifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials be left within lifty feet of the right-of-way, and in no case may the excavation be closer to the right-of-way than lifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within lifty feet (50°) of any property line?  (NOTE: if the answer is "YES", a selety barrier may be needed.)	e Lo.	sion during mining.	See Map.
D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET)  DESCRIBE LOCATION AND ORIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS  SEE	D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET)  DESCRIBE LOCATION AND CRIENTATION OF PIT IP NOT CLEAR ON SITE MAPS  SEE High!  Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50') of any property line?  (NOTE: If the answer is "VES", a safety barrier may be needed.)			
D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND GRIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS  SEE	D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET)  DESCRIBE LOCATION AND CRIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS  SEE High!  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way and in no case may the excavation be closer to the right-of-way and in no case may the excavation be closer to the right-of-way and in no case may the excavation be closer to the right-of-way than fifty feet of the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "VES", a safety barrier may be needed.)	C ACID MATERIA	MS	
D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET)  DESCRIBE LOCATION AND ORIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS  SEE Hips  Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a stope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way in fifty feet or twenty-five feet plus one and	D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET)  DESCRIBE LOCATION AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS  SEE Maps  Will any excavation be at or within fifty feet (50°) of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1/3) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50°) of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)			ONE IS ANTICIPATED, WRITE "NONE" BELOW)
VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty teet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way find fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)	NIA		
VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way find fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)			
VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way find fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)			
VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way find fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)			
VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty teet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	VES NO  Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way find fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)			
VES NO  Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)		The state of the s	
VES NO  Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)	DESCRIBE LOCATION	I AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS	
VES NO  Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)	SE	Mars	
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)		• 7	
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)	1		
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)			
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)			
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)			
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)			
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)			
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)	]		
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)			
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)			
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)	·		
Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any excavation be at or within fifty feet (50") of the right-of-way of any public road?  Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)	VES NO		
Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?  (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road? (NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)	_		
(NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of- way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	(NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)	1 -		
way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and	way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)		(NOTE: For unconsolidated materials left in place, a	slope of no more than forty degrees may start near the right-of-
	Commission.)  Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)		way, and in no case may the excavation be closer	to the right-of-way than fifty feet or twenty-five feet plus one and
	(NOTE: If the answer is "YES", a safety barrier may be needed.)			iterial, whichever is greater, unless a variance is granted by the
The day of the day of the day of the day property side:	PERMIT NO			
	PERMIT NO.			
	MILIS HOMOEPHRAME / July Comment # 2	PERMIT NO.	/V//2	ENUMBERNAME PAGE CARREST # 2
SITE NUMBERNAME DELLE COLORS H 3				
SITE NUMBERNIAME DORIS SOLLETON 43				SURIS SEJULIA ESPORT 9 3

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

L REVEGETATION (Attach additional	Sneets, if needed)		
EVEGETATION MIX #1	PURPOSE OR LAND USE /	B. SEGO	NG OR PLANTING TIME
ESCRIBE METHODS AND EQUIPMENT TO BE	TARTIAL IM	TOURS MENT N	141 200E
ESCRIBE METHODS AND EQUIPMENT TO BE	USED FOR SEEDING OR PLANTING	/	
AFTER FINAL GRA RAKE WILL BE A MCLUDE: LIME,	iding, a SKID 1800. Hydro St FERTILIZER, M	Steek wins land Georg will be With, Taxiher,	EEE, JURIEN.
me and tertilizer will be applied accord all slopes exceeding 5:1.	ding to recommendations base	d upon soil test analyses from a q	ualified soils lab. Mulch will be ap
SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECI	ES STEMS/ACRE
Ky31 RESULE	500 100		
Res lover	50		
VEGETATION MIX 92	PURPOSE OR LAND USE	B. SEEDI	NG OR PLANTING TIME
Wildlite	Will	FE 1	1/14/06
SAME AS AL	we -		
ne and fertilizer will be applied accord		d upon soil test analyses from a qu	uallfied soils lab. Mulch will be ap
ne and fertilizer will be applied accord		d upon soil test analyses from a qu TREE OR SHRUB SPECII	<u> </u>
ne and fertilizer will be applied accord all slopes exceeding 5:1. SEEDED SPECIES	ling to recommendations based		
ne and fertilizer will be applied accord all slopes exceeding 5:1.  SEEDED SPECIES  Annuary Rya	ling to recommendations based		
me and fertilizer will be applied accord all slopes exceeding 5:1.  SEEDED SPECIES  Amuric Lyc  MILLE T	POUNDS/ACRE		
me and fertilizer will be applied accord all slopes exceeding 5:1.  SEEDED SPECIES  Visual Kya	POUNDS/ACRE		
me and fertilizer will be applied accord all slopes exceeding 5:1. SEEDED SPECIES Amount Lyc	POUNDS/ACRE		

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

B. GRADING	
DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING GLOPES	1
FINAL CARADING WILL INClude a PART	AC IMPOUNDAMENT
WITH 3:1 BACKSlope and 3:1 INSILE V	Lyte. The Remaining
AREA will be grases to gentle	Cope and Easily
TRAVERSED.	
	!
	l
1	
C. DESCRIBE THE GENERAL SEQUENCE AND TIMING OF THE FOLLOWING ACTIVI	NES
GRADING DUCE PIT IN COMPLETED WITH HINNY,	gracing will Commerce
WITHIN 6 MONTHS.	
REPLACEMENT OF TOPSOIL BE REPLACED AS Soon AS	ARADING IS COMPLETED.
DEVECTATION	
SECONDY SEASON SUCH AS APRIL- HAY	reef Available
SECOING SEASON Such As April-May	on STOT-Oct.
AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)	
D. USE OF LAND WHEN RECLAIMED	·
Estimate acreage of each land use below, after reclamation	ESTIMATED ACRES:
Wildlife (forest or other habitat with livestock excluded)	1/4
Agricultural (pasture, cropland, and horticultural)	
Development (residential, industrial, and recreational)	
Water impoundments (for wildlife, agriculture, or development)	14
PERMIT NO. OO 43 SITE MUMBERINAME LOGIS SPUND	NEON PIT # 3

MO 780-1327 (5-02)

#### Re: Mine Plans - Bill Zeaman/LRP/DEQ/MODNR



Bill Zeaman To: "Steve Miloscia" < Steve. Miloscia@rccement.com>

\_\_\_\_ cc:

03/25/2004 02:07 PM Subject: Re: Mine Plans

Thanks Steve, that pretty much addresses my concerns, I think the operator will also have better luck establishing vegetation on the 3:1 slope. I will make changes in the mine plan as identified in the attached E-mail. I will also place a copy of this E-mail with all of the six new sites.

You are now provided with notice to advertise the Public Notice newspaper requirements and to send out letters of an intent to operate a surface mine for all of the sites that are pending.

Thank you for your cooperation -

If you have any concerns about the content of this E-mail please respond.

Bill Zeaman
Land Reclamation Program
573.751.4041
"Steve Miloscia" <Steve.Miloscia@rccement.com>



"Steve Miloscia" <Steve.Miloscia@rcce ment.com>

To: bill.zeaman@dnr.mo.gov

cc:

Subject: Mine Plans

03/25/2004 10:47 AM

Bill,

I want to inform you that I just got word from Gary Bullock of Dillon Clay Mining who said we can go with 3:1 for the inside and outside slopes as described in our Mine Plans on page 4, Paragraph B. I will go ahead and make these changes in my copies of the six Mine Plans I sent to you in our letter dated March 18, 2004, and I would like you to do the same to the original Mine Plans you have now. Please, contact me if you have any other comments or questions. Also, I will wait until I here from you before I begin the Public Notices. Regards, Steve

Stephen M. Miloscia
Environmental & Safety Engineer
Buzzi Unicem USA
River Cement Plant
1000 River Cement Road
PO Box 1003
Festus, MO 63028
(636)-937-7601 ext 205
steve.miloscia@buzziunicemusa.com

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

By my signature, I attest to the following:

- 1. All statements made on this Mine Plan Form are correct, complete and true, to the best of my knowledge.
- 2. I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.790, RSMo 2001, and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
- I have obtained the approval of all landowner's (for all lease agreements made after August 28, 1990 on leased land) for all proposed post-mining land uses.
- 4. I have obtained the approval of all landowner's, (for all lease agreements made after August 28, 1990 on leased land) for all proposed seed mixtures.
- 5. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

4.4		1-1-1	
SIGNATURE OF APPLICANT		TITLE	DATE
Steph 1h	Milesia	Enciron & So	Lay Eng 3/18/04
NOTARY PUBLIC EMBOSSER	STATE		COUNTY (OR CITY OF ST. LOUIS)
	Missouri		<u> </u>
	SUBSCRIBED AND SWORN BEFORE ME, THIS		JEFFERSON
NOT VALID	18th DAY OF ALARCH	YEAR OC	USE RUBBER STAMP IN CLEAR AREA BELOW.
	NOTABLE PUBLIC SIGNATURE	MY COMMISSION	CONCTANGE AND ADDRESS OF THE PARTY OF THE PA
<u>unless</u>		EXPIRES	CONSTANCE R. ROTH
NOTARIZED	Custance R. Kon	the 04/24/2005	NOTARY PUBLIC A STARY SEAL STATE OF MISSOURI
	NOTARY PUBLIC NAME (TYPED OR PRINTED)		COUNTY OF JEFFERSON
	CONSTANCE R. KO	rH	My Commission Expires: APRIL 24, 2005
FOR DEPARTMENT USE ON	ILY		
APPROVED BY		DATE APPROVED	PERMIT NUMBER
Mille -	THIM .	3-24-0	4 0043
PERMIT NO.	Je wood	SITE NUMBER/NAME	
0043		DOR'S	FUNGEON PIT #3.
MO 780-1327 (5-02)			PAGE 5 OF 5

MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION

MAR 2 2 2004


P.O. BOX 176 JEFFERSON CITY, MO 65102


PAGE 1

**CONSENT TO ENTRY** 

MISSOURI LAND (for granting right from landowner, where operator has no right to grant such entry)

THE TOTAL PROPERTY OF THE PARTY		PERMIT NUMBER(S)			SITE NUMBER(S)
COMPANY NAME KIVER LEME	HT 6	0043			A+#3
We, the undersigned, h	nereby grant to the l				Program and his authorized pose of making necessary ation Act, Sections 444.760
NAME OF LANDOWNER		SIGNATURE		*	DATE
Staves M.	Division 14 BECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LINE OWNER	: 	SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE		**************************************	DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
MO 780 1329 (12-01)		ATTACH ADDITIONAL	SHEETS AS NEED!	ED	PAGE





31415 DORIS SURGEON KNUR LEMENT 6 HEMIT 0043 DURIS SQURMON #3 MW/4, Sec 5, 739N, R4W HAUL ROAD -EALE 12501 DRU SURGEON#3 MISSOURI LAND RECEIVED MAR 2 2 2004 1 HREA STOURNIE HAUL ROAD Methodes OLD SAUKALE HEM

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION



#### MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION SITE INFORMATION

SITE INFORMATION	ON			P.O. BOX 176 JEFFERSON CITY, MO 65102-0176
Complete this form for each separate	e area of disturbance assoc	clated with mining operation	ons.	
SITE NAME OR NUMBER			PERMITN	MAER
l /	NBECK 41		_	70 × 3
COMPANY RIVER CEMENT	6			
COUNTY	1/4 SECTION		SECTION	
CASCONADE				36
TOWNSHIP	HANGE	14/	ACRES	20
44 N	5	···		2.0
RIVER OR STREAM NAME (FOR IN-STREAM	MACRES)			
MINERAL COMMODITY		ESTIMATED TONS/YE	AR (GRAVEL SITES	)
CEMENT CLAY				
/				
NAME OF LANDOWNER (ATTACH LIST IF M	<b>~</b>	··•··		
VERNON ST	EINBECK			
ADDRESS	1 1 2	,		
2157 5	teinbeck Ad			
спу		STATE		ZIP CODE
Hermann		Mo		65041
SOURCE OF RIGHT TO MINE (CHECK ONE	<b>)</b> :			DATE OF AGREEMENT
MINERAL DEED		DLEASE		5-26-01
WARRANTY DEED	☐ VERBAL			
OTHER (DESCRIBE):				
	-			
	·			
MINERAL RIGHTS OWNER (ATTACH LIST IF	MORE THAN ONE)			
ADDRESS				
CITY		STATE		ZIP CODE
SOURCE OF RIGHT TO MINE ICHECK ONE	:			DATE OF AGREEMENT
MINERAL DEED		☐ LEASE		
☐ WARRANTY DEED		VERBAL		
OTHER (DESCRIBE):				
NOTE: Each site must be shown on	a man and he included in	nublic notice and an ar-	and size size	
MO 780-1036 (12-02)	a map and oc alcidused in a	a pount notice and an app	wven mine plai	/I.

MAR 2 2 2004

# MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION MINE PLAN

MISSOURI LAND RECLAMATION COMMISSION

MINE PLAN		JEFFERSON CITY, MO 65102-0176
COMPANY NAME RIVER LEMENT LO		
TYPE OF PLAN (CHECK ONE):		
SHORT TERM FOR ONE PERMIT YEAR		
DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PER	/1/06	
DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PER	RMITTING (BY APPLICANT OR PR	HOR OPERATOR), INCLUDING SOIL VEGETATION AND
TOPOGNAPHY.	- Sand ac	moth Timber
CRENTLY SLOPING END SOME	Second you	
Open Areas VEGETATED IL	with tescue	end Sime Ked With.
Some Existing existing ple	h/mi with	Longe I Aire open.
Some Existing existion pre	oncens en	
Soil poor with about 3"	of WEAR 10	Nort.
OPERATION PLAN - 10 CSR 40-10-020(2)(D)1. A. TOPSOIL	<del></del>	
AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSIO	N PERMITTING	IS TOPSOIL TO BE SOLD OR DISCARDED OFFSITE?
_	INCHES	TYES OR THO
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL		
TEASER TO BE REMOVED	L. Dozen	SERGGER.
Tracel To DE KEMOVED		
Topsoil To be Removed		a Lean anten
Tour To be Kemovers	IN LIPH ON	a exhispoint
I La And		
To Storage And.		
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND	PROTECTION	1 0, +
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND	n IN On J.	TE FILE POPUL
"Topsoil to DE STOCKPILER	, , ,	50
1. /	it is CE posi	TED. Lozen WILL
will be Comparers as		-
Shape Sides and Leve	or Top. Top	Voic SERVED CINIC
STAPE STUES CHE	•	
neide O.		
/166216 0 .		
ERMIT NO. $OUY3$	SITE ALLUMPERINAME, VERNON STEINBEC	PICAI

MO 780-1327 (5-02)

PAGE 1 OF

MAR 2 2 2004

MISSOURI LAND

B. SPOI	<u> </u>		SECLAMATION COMMISSION
DESCRIBE	METHOD	AND LOCATION OF SPOIL PLACEMEN	T AND DISPOSAL
1	soil	will be le	moved by dozen and Scrapen.
5	POIL	were be de	To prevent thoson. See
بک	MAPL	es by dozen	To prevent brosion. Set
		fon Sport C	
2 10/2			
	MATERI		NG ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)
人	1/A		
D DIT IA	IFO DAS A	TION COME ALL DIMENSIONS	IN FEET)
		TION (GIVE ALL DIMENSIONS I AND ORIENTATION OF PIT, IF NOT CL	
5	E	Macs	
ļ			
•			
YES	NO ·		
			thin fifty feet (50") of the right-of-way of any public road?
		Will any highwall consisting of (NOTE: For unconsolidated ma	unconsolidated materials be left within fifty feet of the right-of-way of any public road? aterials left in place, a slope of no more than forty degrees may start near the right-of-
		way, and in no case may the	excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and of unconsolidated material, whichever is greater, unless a variance is granted by the
			within fifty feet (50') of any property line? a safety barrier may be needed.)
PERMIT NO.		2.417	SITE MIMBERINAME.
10 700		0043	VERNON STEINBECK PIT 1
AO 780-1327 (	D-U2)		PAGE 2 C

010/9000

MAR 2 2 2004

			SOURI LAND
RECLAMATION PLAN - 10 CSR 40-10		H.I. AMA	HON COMMISSION
L. REVEGETATION (Attach additional			
EVEGETATION MIX In	PURPOSE OR LAND USE	A. SEEDING O	PROPERTY OF THE
ESCRIBE METHODS AND EQUIPMENT TO BE	PARTIAL MIL	DUNG MENT NA	1 2000
ESCRIBE METHODS AND EQUIPMENT TO BE	USED FOR SEEDING OF PLANTING	C. Land	Personera
After FIRAL GRA	ding, a SKID	Steek wind land	KELLANNING.
KAKE WILL BE U	SEO. HYCho S	Georg will DE	MED 10
helade: Lime,	FERTILIZER, M	wich, Tarther, Se	ED, JUAJEN
•			
lme and fertilizer will be applied accord all slopes exceeding 5:1.	ling to recommendations base	d upon soil test analyses from a qualif	ied soils lab. Mulch will be ap
SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
Ky31 Ricue	500		
Amount PyE	100		
las Koven	50		
KEN LLOVER			
EVEGETATION MIX 02 WILLLIFE	PURPOSE OR LAND USE		r planting time
me and fertilizer will be applied accord	ing to recommendations based	d upon soil test analyses from a quallfi	ed soils lab. Mulch will be ap
all slopes exceeding 5:1.  SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
Amount Ryc	100		
MILLET	10		
Lespedeza	10		
Lespédeza Reo Clover	10		
TACH ADDITIONAL SHEETS FOR A	DDITIONAL SEED MIXES.		
7043		SITE NUMBERANAME VERNON STEINBEUKI	0, #1
780-1327 (5-02)			PAGE

MAR 2 2 2004

MISSOURI LAND TECLAMATION COMMISSION

WITH 3:1 BACKSlope and 3:1 INSITE Slope.	the lemanny
AREA UNIL DE GEADED TO GENTLE Slope.	
1	
A DECORPORATION OF ALL OF ALL PARTIES OF THE FOLLOWING ACTIVITIES	
GRADING ONCE PIT IN COMPLETED WITH HINNY, GRADING	y will Comance
WITHIN 6 MONTHS.	
REPLACEMENT OF TOPSOIL TO PSOIL WILL BE REPLACED AS SOON AS GRACING	is Completes.
SECTION SEASON SINCH AS APRIL- HAY ON S.	ialable
SEEDING SEASON SUCH AS APRIL- Hay on S.	W-CCT,
AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)	
D. USE OF LAND WHEN RECLAIMED	
Estimate acreage of each land use below, after reclamation	ESTIMATED ACRES:
Wildlife (forest or other habitat with livestock excluded)	1/4
Agricultural (pasture, cropland, and horticultural)	
Development (residential, industrial, and recreational)	
Water Impoundments (for wildlife, agriculture, or development)  PERMIT NO.  SITE NUMBER/NAME	34
PERMIT NO. OO 43 SITE NUMBERINAME PLANT MO 780-1327 (5-02)	# PAGE 4 OF

B. GRADING

DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING BLOPES

#### Re: Mine Plans - Bill Zeaman/LRP/DEQ/MODNR



Bill Zeaman

To: "Steve Miloscia" <Steve.Miloscia@rccement.com>

cc:

03/25/2004 02:07 PM

Subject: Re: Mine Plans

Thanks Steve, that pretty much addresses my concerns, I think the operator will also have better luck establishing vegetation on the 3:1 slope. I will make changes in the mine plan as identified in the attached E-mail. I will also place a copy of this E-mail with all of the six new sites.

You are now provided with notice to advertise the Public Notice newspaper requirements and to send out letters of an intent to operate a surface mine for all of the sites that are pending.

Thank you for your cooperation -

If you have any concerns about the content of this E-mail please respond.

Bill Zeaman
Land Reclamation Program
573.751.4041
"Steve Miloscia" <Steve.Miloscia@rccement.com>



"Steve Miloscia" <Steve.Miloscia@rcce ment.com>

To: bill.zeaman@dnr.mo.gov

cc:

Subject: Mine Plans

03/25/2004 10:47 AM

Bill,

I want to inform you that I just got word from Gary Bullock of Dillon Clay Mining who said we can go with 3:1 for the inside and outside slopes as described in our Mine Plans on page 4, Paragraph B. I will go ahead and make these changes in my copies of the six Mine Plans I sent to you in our letter dated March 18, 2004, and I would like you to do the same to the original Mine Plans you have now. Please, contact me if you have any other comments or questions. Also, I will wait until I here from you before I begin the Public Notices. Regards, Steve

1

Stephen M. Miloscia
Environmental & Safety Engineer
Buzzi Unicem USA
River Cement Plant
1000 River Cement Road
PO Box 1003
Festus, MO 63028
(636)-937-7601 ext 205
steve.miloscia@buzziunicemusa.com

MAR 2 2 2004

MISSOURI LAND
RECLAMATION COMMISSION

By my signature, I attest to the following:

- 1. All statements made on this Mine Plan Form are correct, complete and true, to the best of my knowledge.
- I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.790, RSMo 2001, and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
- 3. I have obtained the approval of all landowner's (for all lease agreements made after August 28, 1990 on leased land) for all proposed post-mining land uses.
- I have obtained the approval of all landowner's, (for all lease agreements made after August 28, 1990 on leased land) for all proposed seed mixtures.
- 5. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

		· · · · · · · · · · · · · · · · · · ·	~
SIGNA JRE OF APPLICANT	1. 1	TITLE	DATE
State Mr. 11	Milosia	Environ + Safe.	+y Eng 3/18/04
NOTARY PUBLIC EMBOSSER	STATE		COUNTY (OR CITY OF ST. LOUIS)
	Missouri		
	SUBSCRIBED AND SWORN BEFORE ME, THIS	,	JEFFERSON
NOT VALID	18th DAY OF MARCH	YEAR 2004	USE RUDDER STAMP IN CLEAR AREA RELO
UNLESS	NOTARY PUBLIC SIGNATURE	MY COMMISSION EXPINES	CONSTANCE R. ROTH
NOTARIZED	$V_{0} = 00$ .		NOTARY PUBLIC - NOTARY SEAL
	Constance K. Kot.	L 04/24/2005	STATE OF MISSOURI
	NOTARY PUBLIC NAME (TYPED OR PRINTED)	)	COUNTY OF JEFFERSON
	CONSTANCE R. K	OTH	My Commission Expires: APRIL 24, 2005
FOR DEPARTMENT USE OF			
APPROVED BY		DATE APPROVED	PERMIT NUMBER
- <i>MIM</i>	Summe	12-2//-	20/ 00/13
" XUIII		10 CY!	
PERMIT NO.	1 Journal	SITE NUMBERNAME	1/1
6043		VERNON	V STEIN BECK #1
MO 780-1327 (\$ 02)			PAGE 5 OF 5

PAGE 1




MAR 2 2 2004

P.O. BOX 176 JEFFERSON CITY, MO 65102


### **CONSENT TO ENTRY**

(for granting right from landowner, where operator has no right to granting right from landowner, where operator has no right to granting commission (for granting right from landowner, where operator has no right to granting right from landowner, where operator has no right to granting right from landowner, where operator has no right to granting right from landowner, where operator has no right to granting right from landowner, where operator has no right to granting right from landowner.

COMPANY NAME		PERMIT NUMBER(S)	1	s	ITE NUMBER(S)
River Ce,	ne.1 + Cox	0043			3+#/
We, the undersigned, representatives the rig	hereby grant to the Dight of entry upon ou	r lands or surface i	mining operation	ns for the purp	rogram and his authorized lose of making necessary ation Act, Sections 444.760
NAME OF LANDOWNER		SIGNATURE	<del> </del>	·	DATE
COUNTY TEIN	0.00	XN	1-4.0	_	- //
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	5-16-01 ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER	<u></u>	SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER	<u> </u>	SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
MÖ 780 1379 (12-01)	Α-	TTACH ADDITIONAL S	HEETS AS NEEDE	,	PAGE



Claypits MAR 2 2 2004 Sanders 1 Cem . 85/ MISSOURI LAND SECLAMATION COMMISSION Swiss ••Claypit Claypits Cem 887 John Brune Pith John BRUNE P.12 Claypits Kahle Cem 23. 22 Claypits 888 Claypit ... Hobme Port В 0 Bieber Cem Substation Claypits CLAYPITS 8/6⊀ VERNON STEINBECK 810 RIVER CEMENT LO FERNIT # 0043 Creck Sheon • Claypits Claypit **∮**860 35 30 PIPELINE 34 ç⊃ / Claypits



MAR 2 2 2004

MISSOURI LAND



# MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION SITE INFORMATION

P.O. BOX 176 JEFFERSON CITY, MO 65102-0176

Price		JEFFERSON CITY, MO 65102-017
Complete this form for each separate area of	disturbance associated with mining ope	erations.
SITE NAME, OF NUMBER		PERMIT NUMBER
HARVEY KANLE PIT	/	0043
COUNTY CAMSCUNADE		
KIVER CEMENT "	<u> </u>	
COUNTY	1/4 SECTION	SECTION
CTASCONADE	NW/4	26
TOWNSHIP	FIANGE	ACRES
44 N	NW/4 FANGE 5W	2.0
RIVER OR STREAM NAME (FOR IN-STREAM ACRES)		
KI/A		
MINERAL COMMODITY	ESTIMATED TON	S/YEAR (GRAVEL SITES)
CEMENT CLAY		
NAME OF LANDOWNER (ATTACH LIST IF MORE THAN	ONE)	
HARVEY KAHLE		
ADDRESS	· ·	
HARVEY KAHLE ADDRESS 2242 S. Hw.	1/9	
СПУ	STATE	ZIP CODE
Hermann	M	0 65041
SOURCE OF RIGHT TO MINE (CHECK ONE):	_ /	DATE OF AGREEMENT
MINERAL DEED	- LEASE	5-17-02
WARRANTY DEED	☐ VERBAL	
OTHER (DESCRIBE):		
MINERAL RIGHTS OWNER (ATTACH LIST IF MORE THA	IN ONE)	
ADDRESS		
CITY	I ATATE	70.
CITY	STATE	ZIP CODE
SOURCE OF RIGHT TO MINE (CHECK ONE):		DATE OF AGREEMENT
MINERAL DEED	LEASE	
☐ WARRANTY DEED	☐ VERBAL	
OTHER (DESCRIBE):		
NOTE: Each site must be shown on a map an	nd he included in a public nation and as	1 approved mine stee
MO 780-1036 (12-02)	o se alcinoso in a bublic notice and ar	нарргомен типе ріап.

MAR 2 2 2004



MO 780-1327 (5-02)

MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION

MISSOURI LAND ECLAMATION COMMISSION

MINE PLAN P.O. BOX 176 **JEFFERSON CITY, MO 65102-0176** KIVER LEMENT LO SHORT TERM, FOR ONE PERMIT YEAR DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PERMITTING (BY APPLICANT OR PRIOR OPERATOR), INCLUDING SOIL VEGETATION AND CHATLY Sloping and Some Second GROWTH Timber, Open Access Vegetates with Fescus and Some Red Cloud. Some Existing existens problems with Appace I have goen. Soil poor with about 30 of WEAR Topsail. OPERATION PLAN - 10 CSR 40-10-020(2)(D)1. A. TOPSOIL AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSION PERMITTING IS TOPSOIL TO BE SOLD OR DISCARDED OFFSITE? YES OR NO \_\_ INCHES DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL Topsel To be Removed by Dozer and Exapper. Topiace To be Removed In little and Examported To STORAGE AREA. DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECTION Topsen To be Stockfilte IN On SITE Pile Topsent wice he Compacters as it is deposites. Dozen wice Shape Sides and Level Top. Topsoil Season come Arche O. PERMIT NO. SITE MANNEY KAHLE POT 4/ 0043

PAGE 1 OF

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

B. SPOIL DESCRIBE METHODS AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL
Sport will be REMOVED by Gozen and SCRAPER.
Sport will be deforted by large file and Shapen by dozen to prevent thosin. See
Shapen by dozen to prevent known. See
MAD FOR Sport COCATION.
C. ACID MATERIALS
DESCRIBE METHODS AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)
I N/A
B. DIT WEATHAN YOU'S ALL DIMENSIONS WESSEL
D. PIT INFORMATION (GIVE ALL DIMENSIONS IN FEET) DESCRIBE LOCATION AND ORIENTATION OF PIT. IF NOT CLEAR ON SITE MAPS
SEE MAOS
YES NO
Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?
Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public ros
(NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the tinh
way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one a one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by Commission.)
Will any excavation start at or within fifty feet (50") of any property line?  (NOTE: If the answer is "YES", a safety barrier may be needed.)
PERMIT NO. SITE INJUNEERINAME
0043 HARVEY KAULE PIT 1
AO 780-1327 (5-02)

MAR 2 2 2004

MISSOURI LAND

B. SEEDING OR PLANTING TIME

all slopes exceeding 5:1.			1
SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/AC
Ky 31 Resour	500		
Ans. in Ris	100		
A CO	50		<u> </u>
las lloven			
GETATION MIX #2	PURPOSE OR LAND USE	B. SEEDING OR PLAN	ITING TIME
	· · · · · · · · · · · · · · · · · · ·	For MAY U	62
Wildlike		jz Ning U	
CRIBE METHOOS AND EQUIPMENT TO E	E USED FOR SEEDING OR PLANTING	je Ning U	
CRIBE METHODS AND EQUIPMENT TO E  SAME AS  AS  Be and fertilizer will be applied accounts	E USED FOR SEEDING OR PLANTING	d upon soil test analyses from a qualified so	
CRIBE METHODS AND EQUIPMENT TO E  SAME AS  AS  Be and fertilizer will be applied accounts	E USED FOR SEEDING OR PLANTING		
CRIBE METHODS AND EQUIPMENT TO E  SAME AS AS  a and fertilizer will be applied account in the second state of the second state	rding to recommendations based	l upon soil test analyses from a qualified so	oils lab. Mulch will b
CRIBE METHODS AND EQUIPMENT TO E  SAME AS AS  Be and fertilizer will be applied according 5:1.  SEEDED SPECIES  MINUSE RYC	rding to recommendations based  POUNDS/ACRE  100	l upon soil test analyses from a qualified so	oils lab. Mulch will b
CRIBE METHODS AND EQUIPMENT TO E  SAME AS AS  Be and fertilizer will be applied according 5:1.  SEEDED SPECIES  MINUAL RYCE	rding to recommendations based  POUNDS/ACRE  100  100	l upon soil test analyses from a qualified so	oils lab. Mulch will b
CRIBE METHODS AND EQUIPMENT TO E  SAME AS AS  Be and fertilizer will be applied according 5:1.  SEEDED SPECIES  MINUAL RYCE	rding to recommendations based  POUNDS/ACRE  100	l upon soil test analyses from a qualified so	oils lab. Mulch will b
ERIBE METHODS AND EQUIPMENT TO E  Same As As  e and fertilizer will be applied account in the stopes exceeding 5:1.	rding to recommendations based  POUNDS/ACRE  100  100	l upon soil test analyses from a qualified so	oils lab. Mulch will b

RECLAMATION PLAN - 10 CSR 40-10.020(2)(D)2.

A. REVEGETATION (Attach additional sheets, if needed)

PURPOSE OR LAND USE

PURPOSE O

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION

B. GRADING DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING GLOPES	<i></i>
FINAL CARAOTAY WILL INClude a PARTIAL IM	pound neut
WITH 3:1 BACKSlope and 5:1 INSICE Slope.	the lemanning
AREA WILL BE GEADED TO GENTLE Slope.	and Easily
TRAVERSEO.	
C DECODIDE THE CENERAL REQUENCE AND TIMING OF THE FOLLOWING ACTIVITIES	
GRADING ONCE PIT IN COMPLETED WITH HIMMY, GRADING	y will Compare
WITHIN & MONTHS.	
C MAN C MONTHS.	
REPLACEMENT OF TOPSOIL TOPSOIL WILL BE REPLACED AS SCOR AS GRACING	is Completen
Topsoil will be repended	
-SCHING WILL TAKE DEAC AT THE NEXT AL	IANABLE
SECOING SEASON SUCH AS APRIL- May on S.	TOT-OCT.
Set bing Set	
AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)	
D. USE OF LAND WHEN RECLAIMED	1 .
Estimate acreage of each land use below, after reclamation	ESTIMATED ACRES:
Wildlife (forest or other habitat with livestock excluded)	1/9
Agricultural (pasture, cropland, and horticultural)	
Development (residential, industrial, and recreational)	
Water impoundments (for wildlife, agriculture, or development)	74
PERMIT NO.  OCY3  SITE NUMBERINAME  FIT  MO 200 1377 (5.02)	# /
MO 780-1327 (5-02)	PAGE 4 C

#### Re: Mine Plans - Bill Zeaman/LRP/DEQ/MODNR



Bill Zeaman

To: "Steve Miloscia" <Steve.Miloscia@rccement.com>

CC:

03/25/2004 02:07 PM

Subject: Re: Mine Plans

Thanks Steve, that pretty much addresses my concerns, I think the operator will also have better luck establishing vegetation on the 3:1 slope. I will make changes in the mine plan as identified in the attached E-mail. I will also place a copy of this E-mail with all of the six new sites.

You are now provided with notice to advertise the Public Notice newspaper requirements and to send out letters of an intent to operate a surface mine for all of the sites that are pending.

Thank you for your cooperation -

If you have any concerns about the content of this E-mail please respond.

Bill Zeaman
Land Reclamation Program
573.751.4041
"Steve Miloscia" <Steve.Miloscia@rccement.com>



"Steve Miloscia" <Steve.Miloscia@rcce ment.com>

To: bill.zeaman@dnr.mo.gov

cc:

nt.com> Subject: Mine Plans

03/25/2004 10:47 AM

Bill,

I want to inform you that I just got word from Gary Bullock of Dillon Clay Mining who said we can go with 3:1 for the inside and outside slopes as described in our Mine Plans on page 4, Paragraph B. I will go ahead and make these changes in my copies of the six Mine Plans I sent to you in our letter dated March 18, 2004, and I would like you to do the same to the original Mine Plans you have now. Please, contact me if you have any other comments or questions. Also, I will wait until I here from you before I begin the Public Notices. Regards, Steve

1

Stephen M. Miloscia
Environmental & Safety Engineer
Buzzi Unicem USA
River Cement Plant
1000 River Cement Road
PO Box 1003
Festus, MO 63028
(636)-937-7601 ext 205
steve.miloscia@buzziunicemusa.com

MAR 2 2 2004

MISSOURI LAND

By my signature, I attest to the following:

- 1. All statements made on this Mine Plan Form are correct, complete and true, to the best of my knowledge.
- 2. I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.790, RSMo 2001, and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
- 3. I have obtained the approval of all landowner's (for all lease agreements made after August 28, 1990 on leased land) for all proposed post-mining land uses.
- I have obtained the approval of all landowner's, (for all lease agreements made after August 28, 1990 on leased land) for all proposed seed mixtures.
- 5. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

SIGNATURE OF APPLICANT	1	TITLE	DATE	
State M. 11	Milosia	In. + Safet	Ehr 3/18/04	
NOTARY PUBLIC EMBOSSER	STATE		COUNTY (OR CITY OF ST. LOUIS)	
	MISSOURI		<u> </u>	
	SUBSCRIBED AND SWORN BEFORE ME, THIS	/	JEFFERSON	
NOT VALID	18th DAY OF MARCH	YEAR 2004	USE RUBBER STAMP IN CLEAR AREA BELOW.	
UNLESS NOTARIZED	NOTARY PUBLIC SIGNATURE	MY COMMISSION EXPIRES	CONSTANCE R. ROTH	
MOTANIZED	Constance K. Kor	204/24/2005	NOTARY PUBLIC - NOTARY SEAL STATE OF MISSOURI	
	NOTARY PUBLIC NAME (TYPED OR PRINTED)	ROTH	COUNTY OF JEFFERSON My Commission Expires: APRIL 24, 2005	
FOR DEPARTMENT USE ON	LY			
APPROVED BY		DATE APPROVED	PERMIT NUMBER	
MILLIAMS	SIMM	3-240	9 0043	
PERMIT NO. CE 43		SITE NUMBERNAME HAR VE	XIXAHU PIT #1	
MO 780-1327 (5-02)			PAGE 5 OF 5	

### MAR 2 2 2004 MISSOURI DEPARTMENT OF NATURAL RESOURCES

(for granting right from landowner, where operator has no right to grant such entry)



LAND RECLAMATION COMMISSION


CONSENT TO ENTRY


MISSOURI LAND SECLAMATION COMMISSION


P.O. BOX 176 JEFFERSON CITY, MO 65102-0176

COMPANY NAME		PERMIT NUMBER(S)		SITE NAME(S) OR N	UMBER(S)
RIVER COM	ENT la	0043		HARVEY KAN	KE PIT 1+2
representatives the righ	nt of entry upon	our lands or surface min	ning operations fo	or the purpose	Program and authorized of making necessary field Act, Sections 444.760 to
NAME OF LANDOWNER		SIGNATURE			DATE
HARVEY KAHL	<u></u>	famore	n Fre	lle.	11/15/03 ACRES 4-0
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
CASCIONADE	1/10/4	26	44 N	5 W	4.0
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE	<u></u>		DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER	<del> </del>	SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER	<u> </u>	SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES
NAME OF LANDOWNER		SIGNATURE			DATE
COUNTY	1/4 SECTION	SECTION	TOWNSHIP	RANGE	ACRES

RECEIVED HARVEY KAHLE HOME 5 PRIVATE ROAD C MAR 2 2 2004 MISSOURI LAND RECLAMATION COMMISSION North N HARVEY KAHLE #2 River leners lo PERMIT # 0043 HARVEY KANLE PIT 112 NW14, Sec 26, THIN, R5W HARVEJ KANLE#1 KENATE LANE (HAUL ROAD) Mo Hw 119-Mo they E-







MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION



### MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION COMMISSION

SITE INFORMATION		JEFFERSON CITY, N	P.O. BOX 17 NO_65102-017
Complete this form for each separate a	rea of disturbance associated with mining	operations.	
SITE NAME OF NUMBER		PERMIT NUMBER	
HARVEY KAHLE	Pit 2	0043	
SITE NAME OF NUMBER  HARVEY KAHLE  COMPANY  LIVER LEMENT LO  COUNTY  LASCONNOE			
COUNTY	1/4 SECTION	SECTION	
CASCONADE	NW14	26	
TOWNSHIP  44 N	1/4 SECTION  NW1/4  FLANGE  5 W	ACRES 20	
RIVER OR STREAM NAME (FOR IN-STREAM AC	CRES)		<del></del>
NIA			
MINERAL COMMODITY	ESTIMATED	TONS/YEAR (GRAVEL SITES)	
CEMENT Clay			
NAME OF LANDOWNER (ATTACH LIST IF MORE HARVEY KAHLE	THAN ONE)		
ADDRESS			
CITY	STATE	,ODE	
SOURCE OF RIGHT TO MINE (CHECK ONE):		DATE OF AGREEMENT	
MINERAL DEED	D LEASE		
WARRANTY DEED	☐ VERBA	ц.	
OTHER (DESCRIBE):			
MINERAL RIGHTS OWNER (ATTACH LIST IF MC	DRE THAN ONE)		
ADDRESS	<del></del>		
CITY	STATE	ZIP CODE	
SOURCE OF RIGHT TO MINE (CHECK ONE):		DATE OF AGREEMENT	
MINERAL DEED	☐ LEASE	DATE OF AGHEEMENT	
WARRANTY DEED	UEASE VERBA		····
OTHER (DESCRIBE):	U VERDA	a.	
OTHER (DESCRIBE):			
NOTE: Each site must be shown on a	map and be included in a public notice ar	nd an approved mine plan.	
10 300 1000 (10 00)			

MAR 2 2 2004

MISSOURI LAND F.ECLAMATION COMMISSION

B. SPOI						
DESCRIBE	METHOD	S AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL				
5	soil	WILL DE REMOVED DY GOZER UND SCHAPER.				
5	Post	WILL BE DEFORTED IN LARGE PILE EN				
5,	HAPE	WILL BE REMOVED BY GOZER AND SCRAPER.  WILL BE DESOITED IN LARGE PILE AND  OF DY GOZER TO PREVENT EROSION. SEE				
1	TAP	Fon Sport LOCATION.				
		· · · · · · · · · · · · · · · · · · ·				
C. ACID	MATER	IALS				
		6 AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)				
1 1	1/A	-				
	,,,					
}						
D. PIT IN	VFORMA	ITION (GIVE ALL DIMENSIONS IN FEET)				
1		N AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS				
5	EE	Mass				
i		, and the second				
1						
YES	NO					
		Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?				
		Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?				
		(NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the righty-of-				
		way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and				
	,	one-half (1%) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)				
	Ø	- The day of the control of the cont				
		(NOTE: If the answer is "YES", a safety barrier may be needed.)				
PERMIT NO.		SITE NIMBERNAME				
		0043 HARVY KAHLE PITZ				
MO 780-1327 (	5-02)	PAGE 2 C				

MAR 2 2 2004

MISSOURI LAND RECLAMATION COMMISSION



MISSOURI DEPARTMENT OF NATURAL RESOURCES LAND RECLAMATION. COMMISSION MINE PLAN

P.O. 80X 176

		JEFFERSON CIT	Y. MO 65102-0176
COMPANY NAME LINER LEMENT LO			
TYPE OF PLAN (CHECK ONE):			
SHORT TERM, FOR ONE PERMIT YEAR			
WLONG TERM, FOR PERIOD THROUGH DATE: 1/1/04 - 1/1/	v 6		
DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PERMITT TOPOGRAPHY.	ING (BY APPLICANT OR PR	OR OPERATOR). INCLUDING SOIL VI	
DAM GOOD WEGETATED CUIT	A TESCUE	EAST COLOR	Clouds.
Some FRATION CEUSION PROB	LEMI WITH	Approx I HERE	gar.
Soil poor with about 3" or	F WEAR TO	Nort.	
OPERATION PLAN - 10 CSR 40-10.020(2)(D)1.			
A. TOPSOIL			
AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSION PER	MITTING	IS TOPSOIL TO BE SOLD OR DISCAR	DED OFFSITE?
	3 INCHES	VES OR NO	
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL	1 222	O Senne	
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL  Topsoil To DE REMOVED DY	, Desgr w	mes - chapper-	
Topson To be Removers 1	i Litts on	O ECAMPORTE	
To Storage And.			
,			
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROT	ECTION  IN On SI	TE Pile tops.	, _
Topsen To be STOCKPILED	li den	- Dozen	WILL
wice be Compacted as it	X cie jos.	160.	
Shape Sides and Level	Top. lop	Soil SERVED CO	nnc
NeideO.			
The war.			
PERMIT NO.	CITE AH MARGONIANE		
0 780-1327 (5-02)	SITE NUMBEROWANE HARVEY KANKE	: Kr#2	
O HOUTHER (O'ME)	•		PAGE 1 OF

MAR 2 2 2004

MISSOURI LAND SECLAMATION COMMISSION

B. SEEDING OR PLANTING TIME

	uny, or -nib	SICER WITH - MIG	
PARE WILL BE OF	UEO. HALKO SE	Steek wind land	WED TO
hill i line	Garling L	wich, Tacher, Se	Em duaron
Miliade: CIME,	PERILISER, M	acces, partition, -e	ED, 7 0-11/20-
•			
			* * * * * * * * * * * * * * * * * * * *
ne and termizer will be applied accord all slopes exceeding 5:1.	oing to recommendations baset	t upon soil test analyses from a quali	1180 SOIIS IAD. MUICH WIII D
SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACI
Ky 31 Fesiese Amount PyE	500		
MY SI TESTIBLE			
Anguar RyE	100		
Printing 1/2	50		
Res Coven			
EGETATION MIX 92	PURPOSE OF LAND USE	B. SEEDING	OR PLANTING TIME
WILLLIFE		B. SEEDING	OR PLANTING TIME
WILLLIFE SCRIBE METHODS AND EQUIPMENT TO BE  SAME AS ALL	E USED FOR SEEDING OR PLANTING	fz NA	y i i
SCRIBE METHODS AND EQUIPMENT TO BE  SAME AS AS  THE PROPERTY AS AS  THE PROPERTY AS AS  THE PROPERTY AS	E USED FOR SEEDING OR PLANTING	upon soil test analyses from a quali	y i i
WILLIFE SCRIBE METHODS AND EQUIPMENT TO BE  STATE AS ASS  THE ASS  TH	E USED FOR SEEDING OR PLANTING	fz NA	fied soils lab. Mulch will be
SCRIBE METHODS AND EQUIPMENT TO BE  SAME AS ABO  THE A	E USED FOR SEEDING OR PLANTING	upon soil test analyses from a quall	y i i
SCRIBE METHODS AND EQUIPMENT TO BE  SAME AS ASSET OF THE SECOND SECOND SPECIES  MINUSE REPORT SECOND SECOND SPECIES	COLL COMMENTAL SECTIONS OF PLANTING AND SECTIONS OF PLANTING AND SECTIONS OF PLANTING AND SECTIONS DESCRIPTIONS DESCRIPTIO	upon soil test analyses from a quall	fied soils lab. Mulch will be
SCRIBE METHODS AND EQUIPMENT TO BE  SAME AS AS  THE	COLL COME USED FOR SEEDING OR PLANTING COLOR OF POUNDS/ACRE	upon soil test analyses from a quall	fied soils lab. Mulch will be
SCRIBE METHODS AND EQUIPMENT TO BE  SAME AS AS  THE AS	COLL COME USED FOR SEEDING OR PLANTING AVECT SEEDING AVECT SEEDING OR PLANTING AVECT SEEDING A	upon soil test analyses from a quall	fied soils lab. Mulch will be
SCRIBE METHODS AND EQUIPMENT TO BE  SAME AS ASS  THE ASS	DUNDS/ACRE	upon soil test analyses from a quall	fied soils lab. Mulch will be
SCRIBE METHODS AND EQUIPMENT TO BE  Some As As  The and fertilizer will be applied according signers exceeding 5:1.  SEEDED SPECIES  MILLE T	COLL COME USED FOR SEEDING OR PLANTING COLOR OF POUNDS/ACRE	upon soil test analyses from a quall	fied soils lab. Mulch will be
SCRIBE METHODS AND EQUIPMENT TO BE  SAME AS ASSET OF THE SECOND SPECIES  MINUSC LYE	DUNDS/ACRE	upon soil test analyses from a quall	fied soils lab. Mulch will be

RECLAMATION PLAN - 10 CSR 40-10.020(2)(D)2.

A. REVEGETATION (Attach additional sheets, if needed)
REVEGETATION MIX IN PURPOSE OR LAND USE

MAR 2 2 2004

MISSOURI LAND MATION COMMISSION B. GRADING DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING BLOPES HUAL CARACINY WILL INCLUDE A PARTIAL IMPOUNDMENT WIH 3:1 BACKSlope and 3:1 Inside Slope. The Remaining AREA will be grapes to gentle Slope and Easily TREVERSER C. DESCRIBE THE GENERAL SEQUENCE AND TIMING OF THE FOLLOWING ACTIVITIES GRADING QUE DIT & Completed with Hinny, gracing will Comerce WITHIN 6 MONTHS. Topsoil will be Replaced As Soon As ARACING is Completed. REPLACEMENT OF TOPSOIL SECONDY WILL TAKE PLACE AT the NEW AVAILABLE SECONDY SEASON SUCH AS APRIL- May on STOT-OUT. AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES) #3 D. USE OF LAND WHEN RECLAIMED **ESTIMATED ACRES:** Estimate acreage of each land use below, after reclamation Wildlife (forest or other habitat with livestock excluded) Agricultural (pasture, cropland, and horticultural) Development (residential, industrial, and recreational) Water impoundments (for wildlife, agriculture, or development) SITE NUMBERINAME KAHLE PIT # 2 PERMIT NO 0043

PAGE 4 OF 5

MO 780-1327 (5-02)

#### Re: Mine Plans - Bill Zeaman/LRP/DEQ/MODNR



Bill Zeaman

To: "Steve Miloscia" <Steve.Miloscia@rccement.com>

cc:

03/25/2004 02:07 PM

Subject: Re: Mine Plans

Thanks Steve, that pretty much addresses my concerns, I think the operator will also have better luck establishing vegetation on the 3:1 slope. I will make changes in the mine plan as identified in the attached E-mail. I will also place a copy of this E-mail with all of the six new sites.

You are now provided with notice to advertise the Public Notice newspaper requirements and to send out letters of an intent to operate a surface mine for all of the sites that are pending.

Thank you for your cooperation -

If you have any concerns about the content of this E-mail please respond.

Bill Zeaman
Land Reclamation Program
573.751.4041
"Steve Miloscia" <Steve.Miloscia@rccement.com>



"Steve Miloscia" <Steve.Miloscia@rcce ment.com>

To: bill.zeaman@dnr.mo.gov

CC:

Subject: Mine Plans

03/25/2004 10:47 AM

Bill,

I want to inform you that I just got word from Gary Bullock of Dillon Clay Mining who said we can go with 3:1 for the inside and outside slopes as described in our Mine Plans on page 4, Paragraph B. I will go ahead and make these changes in my copies of the six Mine Plans I sent to you in our letter dated March 18, 2004, and I would like you to do the same to the original Mine Plans you have now.

Please, contact me if you have any other comments or questions. Also, I will wait until I here from you before I begin the Public Notices. Regards, Steve

Stephen M. Miloscia
Environmental & Safety Engineer
Buzzi Unicem USA
River Cement Plant
1000 River Cement Road
PO Box 1003
Festus, MO 63028
(636)-937-7601 ext 205
steve.miloscia@buzziunicemusa.com

1


MAR 2 2 200¢

MISSOURI LAND


By my signature, I attest to the following:

- 1. All statements made on this Mine Plan Form are correct, complete and true, to the best of my knowledge.
- I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.790, RSMo 2001, and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
- I have obtained the approval of all landowner's (for all lease agreements made after August 28, 1990 on leased land) for all proposed post-mining land uses.
- I have obtained the approval of all landowner's, (for all lease agreements made after August 28, 1990 on leased land) for all proposed seed mixtures.
- 5. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

SIGNATURE OF APPLICANT	4 (//	TITLE	DATE	
Attala Mas	Milaria	Env. 4 Safet	En 3/18/01	
NOTARY PUBLIC EMBOSSER	STATE		COUNTY TOR CITY OF ST. LOUIS)	
	MISSOURI			
	SUBSCRIBED AND SWOAN BEFORE ME, THIS		JEFFERSON	
NOT VALID	18th DAY OF MARCH	VEAR 2004	USE RUBBER STAMP IN CLEAR AREA BELOW.	
UNLESS	NOTARY PUBLIC SIGNATURE	MY COMMISSION EXPIRES	CONSTANCE R. ROTH	
NOTARIZED			NOTABY BUBLIC NOTABY CO.	
	Constance K. Ko			
	NOTABY PUBLIC NAME (TYPED OR PRINTED)	$\overline{\mathcal{O}}$	COUNTY OF JEFFERSON	
	CONSTANCE K. 1	KOTH	My Commission Expless APRIL 24, 2005	
FOR DEPARTMENT USE O	NLY			
APPROVED BY		DATE APPROVED	PERMIT NUMBER	
	5 524M/	1 2- 14	$\alpha / \alpha / \alpha$	
I della la	> ////////</td <td>007</td> <td>09 0043</td>	007	09 0043	
PERMIT NO.	1	SITE NUMBER/NAME	1/01/10 5/- 0	
CD43		HARVEY	KAHLE PIT 2	
MO 780-1327 (5-02)		7	PAGE 5 OF	



Claypits RECEIVED MAR 2 2 2004 Sanders (61) 1 Cem . 851 MISSOURI LAND TCLAMATION COMMISSION Swiss \*\*Claypit Claypits Cem John Brune Pith JOHN BRUNE PITZ Claypits 23. Kahle Cem 22 · Claypit Claypits HER I KANICE KIZZ 888 Hotome Pi Claypit , HARVEY KAHLE PLT В Bieber Cem Substation 9/6 CLAYPITS Claypits 8/6 VERNON STEINBECK RIVER CEMENT LO PERMIT # 0043 Creek cheon• Claypits Claypit... 1860 PIPELINE 34 Claypits



RECEIVED Le Hurt 19 HARVEY KAHLE HOME S PRIVATE ROAD C MAR 2 2 2004 MISSOURI LAND RECLAMATION COMMISSION HARVEY KAHLE #Z River Carain Co PERMIT # 0043 HARVEY KANLE PIT 112 NW14, Sec 26, THIN, R5U HARVEY KAHLEHI TRIVATE LANE (HAUL ROAD) Mo HW/ 19-No they E